



Contract Number: 84697 - SWC209 EVENT # 13390-13419

Quote ID: 63507

Agency: BLOUNT COUNTY SCHOOLS (TN)

Date: 7/1/2025

Thank you from the Alan Jay Fleet Team for the opportunity to provide this quotation for (1) 2025 CHEVY SILVERADO 1500 DOUBLE CAB PICKUP 4WD 5.3L v8 WT 6.5' BED, please review carefully and contact us with any errors or changes.

MSRP: \$48,245.00

Base Price: \$43,919.00

Factory Options: \$1,345.00

Aftermarket Options: \$0.00

Purchase Total: \$45,264.00

Per attached vehicle specifications.

This quotation is valid as long as the manufacturer is accepting orders for the model year specified. Purchase orders received after factory order cutoff may not be honorable. The vehicle(s) offered on this quotation will be ordered in the color(s) listed. Please contact your Alan Jay sales representative with any questions you have on this quote.

Quoted By: BEN ROTZ / 512-740-2272 / Ben.Rotz@AlanJay.com



GOVERNMENT PRICE QUOTE

Call Us first, for all of your Fleet Automotive, & Light Truck needs.

PHONE (800) ALANJAY (252-6529)		DIRECT 863-314-5352	WWW.ALANJAY.COM	Quote 63507-2
Corporate Office	2003 U.S. 27 South Sebring, FL 33870	MOBILE 512-740-2272	Mailing Address P.O. BOX 9200 Sebring, FL 33871-9200	
		FAX 863-402-4221		

ORIGINAL QUOTE DATE
5/16/2025

PRICE QUOTE FORM

REVISED QUOTE DATE
7/1/2025

REQUESTING AGENCY	BLOUNT COUNTY SCHOOLS (TN)			
CONTACT PERSON	JAMES DUKE	EMAIL	JAMES.DUKE@BLOUNTK12.ORG	
PHONE	865-982-9412	MOBILE	FAX	

Contract No. 84697 - SWC209 EVENT # 13390-13419

MODEL	CK10753 1WT	MSRP	\$48,245.00
2025 CHEVY SILVERADO 1500 DOUBLE CAB PICKUP 4WD 5.3L v8 WT 6.5' BED			

CUSTOMER ID	GOVERNMENT PRICE	\$43,919.00
-------------	------------------	-------------

BED LENGTH	6.5' Bed
------------	----------

** All vehicles will be ordered white w/ darkest interior unless clearly stated otherwise on purchase order.

FACTORY OPTIONS	DESCRIPTION	
GAZ	Summit White	\$0.00
H2G	Jet Black, Vinyl seat trim	\$0.00
L84	Engine, 5.3L EcoTec3 V8	\$0.00
MHT	Transmission, 10-speed automatic, electronically controlled	\$0.00
1WT	OPTIONS Work Truck Preferred Equipment Group	\$0.00
AKO	Glass, deep-tinted	\$0.00
AZ3	Seats, front 40/20/40 split-bench	\$0.00
C49	Defogger, rear-window electric	\$0.00
CTT	Hitch Guidance	\$0.00
DLF	Mirrors, outside heated power-adjustable	\$0.00
FE9	Emissions, Federal requirements	\$0.00
G80	Auto-locking rear differential	\$390.00
GU5	Rear axle, 3.23 ratio	\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system	\$0.00
KC4	Cooling, external engine oil cooler	\$0.00
KNP	Cooling, auxiliary external transmission oil cooler	\$0.00
KW7	Alternator, 170 amps	\$0.00
PCV	WT Convenience Package	\$0.00
PEB	WT Value Package	\$955.00
QBN	Tires, 255/70R17 all-season, blackwall	\$0.00
QBR	Tire, spare 255/70R17 all-season, blackwall	\$0.00
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel	\$0.00
Z82	Trailer Package	\$0.00
	Option/package discount	\$0.00

AFTERMARKET OPTIONS	DESCRIPTION	FACTORY OPTIONS	\$1,345.00
NO-TEMP	TEMP TAG NOT REQUESTED, CUSTOMER WILL HANDLE THEIR OWN TAG WORK.		\$0.00
LMR SEB-TN	TRANSPORTATION VIA CARRIER		\$0.00

AFTERMARKET OPTIONS \$0.00



**GOVERNMENT
PRICE QUOTE**

Contract No. 84697 - SWC209 EVENT # 13390-13419

TRADE IN

TOTAL COST

\$45,264.00

YES WE TAKE TRADE INS ~~~ ASK ABOUT MUNICIPAL FINANCING ~~~

TOTAL COST LESS TRADE IN(S)

QTY

1

\$45,264.00

Estimated Annual payments for 60 months paid in advance: \$10,407.13

Municipal finance for any essential use vehicle, requires lender approval, WAC.

Comments

QUOTE SUBJECT TO FACTORY ORDER ACCEPTANCE or 30 DAYS

VEHICLE QUOTED BY

BEN ROTZ

GOVERNMENT ACCOUNT MANAGER Ben.Rotz@AlanJay.com

"I Want to be Your Fleet Provider"

*I appreciate the opportunity to submit this quotation. Please review it carefully. If there are any errors or changes, please feel free to contact me at any time.
I am always happy to be of assistance.*



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck (✔
Complete)



Note:Photo may not represent exact vehicle or selected equipment.

Window Sticker

SUMMARY

[Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work TruckMSRP:\$43,600.00

Interior:Jet Black, Vinyl seat trim

Exterior 1:Summit White

Exterior 2:No color has been selected.

Engine, 5.3L EcoTec3 V8

Transmission, 10-speed automatic, electronically controlled

OPTIONS

CODE	MODEL	MSRP
CK10753	[Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck	\$43,600.00
OPTIONS		
1WT	Work Truck Preferred Equipment Group	\$0.00
AKO	Glass, deep-tinted	Inc.
AZ3	Seats, front 40/20/40 split-bench	\$0.00
C49	Defogger, rear-window electric	Inc.
CTT	Hitch Guidance	Inc.

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck (Complete)

DLF	Mirrors, outside heated power-adjustable	Inc.	
FE9	Emissions, Federal requirements		\$0.00
G80	Auto-locking rear differential		\$395.00
GAZ	Summit White		\$0.00
GU5	Rear axle, 3.23 ratio	Inc.	
H2G	Jet Black, Vinyl seat trim		\$0.00
IOR	Audio system, Chevrolet Infotainment 3 system		\$0.00
KC4	Cooling, external engine oil cooler	Inc.	
KNP	Cooling, auxiliary external transmission oil cooler	Inc.	
KW7	Alternator, 170 amps		\$0.00
L84	Engine, 5.3L EcoTec3 V8		\$1,595.00
MHT	Transmission, 10-speed automatic, electronically controlled	Inc.	
PCV	WT Convenience Package	Inc.	
PEB	WT Value Package		\$960.00
QBN	Tires, 255/70R17 all-season, blackwall		\$0.00
QBR	Tire, spare 255/70R17 all-season, blackwall		\$0.00
RD6	Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel		\$0.00
Z82	Trailer Package	Inc.	
—	Option/package discount		(\$500.00)
SUBTOTAL			\$46,050.00
Adjustments Total			\$0.00
Destination Charge			\$2,195.00
TOTAL PRICE			\$48,245.00

FUEL ECONOMY

Est City:16 MPG
Est Highway:19 MPG
Est Highway Cruising Range:456.00 mi

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck (✔
Complete)

Standard Equipment

Package

Chevy Safety Assist includes (UHY) Automatic Emergency Braking, (UKJ) Front Pedestrian Braking, (UHX) Lane Keep Assist with Lane Departure Warning, (UE4) Following Distance Indicator, (UEU) Forward Collision Alert and (TQ5) IntelliBeam

Mechanical


- Durabed, pickup bed
- Engine, TurboMax (310 hp [231 kW] @ 5600 rpm, 430 lb-ft of torque [583 Nm] @ 3000 rpm) (STD) (Not available with (Z71) Z71 Off-Road Package, (VYU) Snow Plow Prep Package or (ZW9) pickup bed delete.)
- Transmission, 8-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD) (Included and only available with (L3B) TurboMax engine. Requires (AZ3) front 40/20/40 split-bench seats.)
- GVWR, 7000 lbs. (3175 kg) (Requires Crew Cab or Double Cab 4WD model and (L3B) TurboMax engine. Requires Double Cab 4WD model and (L84) 5.3L EcoTec3 V8 engine.)
- Rear axle, 3.42 ratio
- Push Button Start
- Automatic Stop/Start (Not available with (5W4) Special Services Package, (9C1) Police Pursuit Package or (FHS) E85 FlexFuel capability.)
- Transfer case, single speed electronic Autotrac with push button control (4WD models only)
- Four wheel drive
- Battery, heavy-duty 730 cold-cranking amps/80 Amp-hr, maintenance-free with rundown protection and retained accessory power
- Alternator, 220 amps (Included with (L3B) TurboMax engine, (VYU) Snow Plow Prep Package, (5W4) Special Service Package or (9C1) Police Pursuit Package.)
- Recovery hooks, front, frame-mounted, Black
- Frame, fully-boxed, hydroformed front section
- Suspension Package, Standard
- Steering, Electric Power Steering (EPS) assist, rack-and-pinion
- Brakes, 4-wheel antilock, 4-wheel disc with DURALIFE rotors
- Brake lining wear indicator
- Capless Fuel Fill
- Exhaust, single outlet

Exterior

Wheels, 17" x 8" (43.2 cm x 20.3 cm) Ultra Silver painted steel (STD)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck ( Complete)

Exterior

Tires, 255/70R17 all-season, blackwall (STD)
Tire, spare 255/70R17 all-season, blackwall (STD) (Included with (QBN) 255/70R17 all-season, blackwall tires.)
Wheel, 17" x 8" (43.2 cm x 20.3 cm) full-size, steel spare
Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door
Bumpers, front, Black (semi-gloss)
Bumpers, rear, Black (semi-gloss)
CornerStep, rear bumper
Cargo tie downs (12), fixed rated at 500 lbs per corner
Headlamps, halogen reflector with halogen Daytime Running Lamps
IntelliBeam, automatic high beam on/off
Lamps, cargo area, cab mounted integrated with center high mount stop lamp, with switch in bank on left side of steering wheel (incandescent on Regular Cab models, LED on Crew Cab and Double Cab models)
Taillamps with incandescent tail, stop and reverse lights
Mirrors, outside manual, Black (Standard on Crew Cab and Double Cab models only. Not available on Regular Cab models.)
Glass, solar absorbing, tinted
Door handles, Black
Tailgate and bed rail protection cap, top
Tailgate, standard
Tailgate, locking utilizes same key as ignition and door (Removed when (QT5) EZ Lift power lock and release tailgate is ordered.)
Tailgate, gate function manual, no EZ Lift

Entertainment

Audio system, Chevrolet Infotainment 3 system 7" diagonal HD color touchscreen, AM/FM stereo, Bluetooth audio streaming for 2 active devices, voice command pass-through to phone, Wireless Apple CarPlay and Wireless Android Auto compatibility (STD)
Sirius XM, delete (Can be upgraded to (U2K) SiriusXM.)
Audio system feature, 6-speaker system (Requires Crew Cab or Double Cab model.)
Wireless phone projection for Apple CarPlay and Android Auto
Bluetooth for phone, connectivity to vehicle infotainment system
Wi-Fi Hotspot capable (Terms and limitations apply. See onstar.com or dealer for details.)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck (✔
Complete)

Interior

Seats, front 40/20/40 split-bench with covered armrest storage and under-seat storage (lockable) (STD)
Seat trim, Vinyl
Seat adjuster, driver 4-way manual
Seat adjuster, passenger 4-way manual
Seat, rear 60/40 folding bench (folds up), 3-passenger (includes child seat top tether anchor) (Requires Crew Cab or Double Cab model.)
Floor covering, rubberized-vinyl (Not available with LPO floor liners.)
Steering wheel, urethane
Steering column, Tilt-Wheel, manual with wheel locking security feature
Steering column lock, electrical
Instrument cluster, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure
Driver Information Center, 3.5" diagonal monochromatic display
Exterior Temperature Display located in radio display
Compass located in instrument cluster
Window, power front, drivers express up/down
Window, power front, passenger express down
Windows, power rear, express down (Not available with Regular Cab models.)
Door locks, power
Remote Keyless Entry, with 2 transmitters
Cruise control, electronic with set and resume speed, steering wheel-mounted
Power outlet, front auxiliary, 12-volt
USB Ports, 2, Charge/Data ports located on instrument panel
Air conditioning, single-zone manual
Air vents, rear, heating/cooling (Not available on Regular Cab models.)
Mirror, inside rearview, manual tilt
Assist handles front A-pillar mounted for driver and passenger, rear B-pillar mounted

Safety-Mechanical

Automatic Emergency Braking
Front Pedestrian Braking

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck (✔
Complete)

Safety-Mechanical

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control, includes electronic trailer sway control and hill start assist

Safety-Exterior

Daytime Running Lamps with automatic exterior lamp control

Safety-Interior

Airbags, Dual-stage frontal airbags for driver and front outboard passenger; Seat-mounted side-impact airbags for driver and front outboard passenger; Head-curtain airbags for front and rear outboard seating positions; Includes front outboard Passenger Sensing System for frontal outboard passenger airbag (Always use seat belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

OnStar Services capable (See onstar.com for details and limitations. Services vary by model. Service plan required.)

OnStar Basics (OnStar Fleet Basics for Fleet) Drive confidently with core OnStar services including remote commands, built-in voice assistance, real-time traffic and navigation, and Automatic Crash Response to help if you're in need. (OnStar Basics includes remote commands, Navigation, Voice Assistance, and Automatic Crash Response, for eligible vehicles with compatible software. For MY25 vehicles, OnStar Basics is standard for 8 years; OnStar plan, working electrical system, cell reception and GPS signal required. OnStar links to emergency services. Service coverage varies with conditions and location. Service availability, features and functionality vary by device and software version. See onstar.com for details and limitations.)

HD Rear Vision Camera

Lane Keep Assist with Lane Departure Warning

Following Distance Indicator

Forward Collision Alert

Rear Seat Reminder (Requires Crew Cab or Double Cab model.)

Rear Seat Belt Indicator (Requires Crew Cab or Double Cab model.)

Teen Driver a configurable feature that lets you activate customizable vehicle settings associated with a key fob, to help encourage safe driving behavior. It can limit certain available vehicle features, and it prevents certain safety systems from being turned off. An in-vehicle report card gives you information on driving habits and helps you to continue to coach your new driver

Buckle to Drive prevents vehicle from being shifted out of Park until driver seat belt is fastened; times out after 20 seconds and encourages seat belt use, can be turned on and off in Settings menu

Tire Pressure Monitoring System, auto learn includes Tire Fill Alert (does not apply to spare tire)

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck (Complete)

WARRANTY

Warranty Note: <<< Preliminary 2025 Warranty >>>
Basic Years: 3
Basic Miles/km: 36,000
Drivetrain Years: 5
Drivetrain Miles/km: 60,000
Drivetrain Note: Silverado TurboMaxTM engines, 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Corrosion Years (Rust-Through): 6
Corrosion Years: 3
Corrosion Miles/km (Rust-Through): 100,000
Corrosion Miles/km: 36,000
Roadside Assistance Years: 5
Roadside Assistance Miles/km: 60,000
Roadside Assistance Note: Silverado TurboMaxTM engines, 3.0L & 6.0L Duramax® Turbo-Diesel engines, and certain commercial, government, and qualified fleet vehicles: 5 years/100,000 miles
Maintenance Note: First Visit: 12 Months/12,000 Miles


Weight Ratings

WEIGHT RATINGS

Front Gross Axle Weight Rating:	3800 lbs
Rear Gross Axle Weight Rating:	3800 lbs
Gross Vehicle Weight Rating:	7000.00 lbs

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck ( Complete)

Technical Specifications

Powertrain

Transmission

Drivetrain	Four Wheel Drive	Trans Order Code	MHT
Trans Type	10	Trans Description Cont.	Automatic
Trans Description Cont. Again	N/A	First Gear Ratio (:1)	4.70
Second Gear Ratio (:1)	2.99	Third Gear Ratio (:1)	2.15
Fourth Gear Ratio (:1)	1.77	Fifth Gear Ratio (:1)	1.52
Sixth Gear Ratio (:1)	1.28	Reverse Ratio (:1)	4.87
Clutch Size	N/A	Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A	Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A	Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A	Seventh Gear Ratio (:1)	1.00
Eighth Gear Ratio (:1)	0.85	Ninth Gear Ratio (:1)	0.69
Tenth Gear Ratio (:1)	0.64		

Mileage

EPA Fuel Economy Est - Hwy	19 MPG	Cruising Range - City	384.00 mi
EPA Fuel Economy Est - City	16 MPG	Fuel Economy Est-Combined	17 MPG
Cruising Range - Hwy	456.00 mi	Estimated Battery Range	N/A

Engine


Engine Order Code	L84	Engine Type	Gas V8
Displacement	5.3L/325	Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600	SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	N/A		

Electrical

Cold Cranking Amps @ 0° F (Primary)	730	Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A	Maximum Alternator Capacity (amps)	170

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck ( Complete)

Powertrain

Cooling System

Total Cooling System Capacity	N/A
-------------------------------	-----

Vehicle

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	8.7	EPA Greenhouse Gas Score	3
--	-----	--------------------------	---

Chassis

Weight Information

Standard Weight - Front	1.00 lbs	Standard Weight - Rear	0.00 lbs
Base Curb Weight	N/A	Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3800 lbs	Curb Weight - Front	2878 lbs
Curb Weight - Rear	1939 lbs	Option Weight - Front	123.00 lbs
Option Weight - Rear	27.00 lbs	Reserve Axle Capacity - Front	798.00 lbs
Reserve Axle Capacity - Rear	1834.00 lbs	As Spec'd Curb Weight	4968.00 lbs
As Spec'd Payload	2032.00 lbs	Maximum Payload Capacity	2183.00 lbs
Gross Combined Wt Rating	15000 lbs	Gross Axle Weight Rating	7600.00 lbs
Curb Weight	4817.00 lbs	Reserve Axle Capacity	2632.00 lbs
Total Option Weight	150.00 lbs	Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs	Gross Vehicle Weight Rating	7000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs	Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9300 lbs	Wt Distributing Hitch - Max Tongue Wt.	930 lbs
Fifth Wheel Hitch - Max Trailer Wt.	8700 lbs	Fifth Wheel Hitch - Max Tongue Wt.	2175 lbs
Maximum Trailering Capacity	9400 lbs		

Frame

Frame Type	Box Ladder	Sect Modulus Rails Only	N/A
Frame RBM	N/A	Frame Strength	N/A
Frame Thickness	N/A		

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck (✔
Complete)

Chassis

Suspension

Suspension Type - Front	Independent coil-over-shock	Suspension Type - Rear	Solid Axle
Spring Capacity - Front	N/A	Spring Capacity - Rear	N/A
Axle Type - Front	N/A	Axle Type - Rear	N/A
Axle Capacity - Front	N/A	Axle Capacity - Rear	N/A
Axle Ratio (:1) - Front	3.23	Axle Ratio (:1) - Rear	3.23
Shock Absorber Diameter - Front	N/A	Shock Absorber Diameter - Rear	N/A
Stabilizer Bar Diameter - Front	1.30 in	Stabilizer Bar Diameter - Rear	N/A

Tires

Front Tire Order Code	QBN	Rear Tire Order Code	QBN
Spare Tire Order Code	QBR	Front Tire Size	255/70R17
Rear Tire Size	255/70R17	Spare Tire Size	255/70R17
Front Tire Capacity	N/A	Rear Tire Capacity	N/A
Spare Tire Capacity	N/A	Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A	Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8 in	Rear Wheel Size	17 x 8 in
Spare Wheel Size	17 x 8 in	Front Wheel Material	Steel
Rear Wheel Material	Steel	Spare Wheel Material	Steel

Steering


Steering Type	Electric Rack & Pinion	Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A	Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.3 ft	Turning Diameter - Wall to Wall	N/A

Brakes

Brake Type	Pwr	Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A	Disc - Front (Yes or)	Yes

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck ( Complete)

Chassis


Brakes			
Disc - Rear (Yes or)	Yes	Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in	Drum - Rear (Yes or)	N/A
Rear Drum Diam x Width	N/A		
Fuel Tank			
Fuel Tank Capacity, Approx	24 gal	Aux Fuel Tank Capacity, Approx	N/A
Fuel Tank Location	N/A	Aux Fuel Tank Location	N/A

Dimensions

Interior Dimensions			
Passenger Capacity	6	Front Head Room	43.03 in
Front Leg Room	44.53 in	Front Shoulder Room	66.02 in
Front Hip Room	61.18 in	Second Head Room	39.88 in
Second Leg Room	35.24 in	Second Shoulder Room	64.88 in
Second Hip Room	60.24 in		
Exterior Dimensions			
Wheelbase	147.4 in	Length, Overall w/o rear bumper	N/A
Length, Overall w/rear bumper	N/A	Length, Overall	231.88 in
Width, Max w/o mirrors	81.24 in	Height, Overall	75.63 in
Overhang, Front	N/A	Overhang, Rear w/o bumper	N/A
Front Bumper to Back of Cab	N/A	Cab to Axle	N/A
Cab to End of Frame	N/A	Ground to Top of Load Floor	N/A
Ground to Top of Frame	N/A	Frame Width, Rear	N/A
Ground Clearance, Front	8.08 in	Ground Clearance, Rear	8.08 in
Body Length	0.00 ft	Cab to Body	N/A
Cargo Area Dimensions			
Cargo Box Length @ Floor	79.44 in	Cargo Box Width @ Top, Rear	N/A
Cargo Box Width @ Floor	71.4 in	Cargo Box Width @ Wheelhousings	50.63 in

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.



Vehicle: [Fleet] 2025 Chevrolet Silverado 1500 (CK10753) 4WD Double Cab 147" Work Truck ( Complete)

Dimensions

Cargo Area Dimensions

Cargo Box (Area) Height	22.4 in	Tailgate Width	N/A
Cargo Volume	71.7 ft³	Ext'd Cab Cargo Volume	N/A

This document contains information considered Confidential between GM and its Clients uniquely. The information provided is not intended for public disclosure. Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos may not represent actual vehicles or exact configurations. Content based on report preparer's input is subject to the accuracy of the input provided.
Data Version: 25467. Data Updated: May 15, 2025 7:36:00 PM PDT.